ACM RESIDENTIAL MANUAL APPENDIX RA-2005

Appendix RA – Certification of Alternative Calculation Method

	Energy Effic	iency Standards for	Residential Build	lings, Sections	3 150 to 152		
l,		(nai	name), certify that me of ACM), versi	ion number	, dat	ed	l),
	, develo	ped by,		(pers	onnel or compan	y),	,
budgets subject to Manual f specified certify the and com this ACM fixed and program	all of the ACM tests and annual energy use the fixed and restricted for the 2005 Energy Efficient the manuals described the calculation of energhete plans and specifical. Moreover, the calculation of the testricted assumptions that are not subject to eather fixed, carefully restricted.	gives results that a estimates to comply d assumptions speciciency Standards for ing the use of this margy use in buildings ations for a building ations are verifiable and inputs mention ready verification in	with CEC (Califorified in the Alternative Residential Build nethod (Users Man, following the install when modeling the dabove. I further the plans and specified in the plans are plant to the plant the pl	ccurate when ornia Energy (native Calcular dings, and the anual and Constructions in the ble and accurate same buildier certify that	Commission) regition Method (ACA) a fixed and restrict pliance Supplement manuals, and ate energy analytical variables used	ng custom ulations, M Approval ted inputs nent thereto using accursis results vy applying to by the)). rate with
used in tidefault va Manual fidesign brown assumpt are either restricted verified lito prograpermit apcalculation plans and	rtify that the inputs, define accompanying applications, and assumptions for the 2005 Energy Effinedgets and annual energions needed to achieve it not subject to user valid or required inputs in the st of the actual values of ammatic or user variation opplicant to the enforcement method as specified dispecifications for a bucified inputs that are different accompanies.	cation for the CEC respecified by the CE ciency Standards for the accuracy requiritation, are defaulted are manuals for the April any such variables are to be included then agency. In sumin the manuals for tailding are not subject	esidential ACM application the Alternation of the ACM in conjunct to significant value.	pproval, are of ive Calculation dings for use of all specific inpapability tests and for compliante manuals nance approach the matter that the respection with an another control of that the respection with an another calculation with another calculation with an another calculation with another calculation with another calculation with an another calculation with a calculation with an another calculation with an another calculation with a calculation w	onsistent with the matches (ACM) when generating souts, variables, are in the ACM Approace, or are clearly indicates the compliance whation supplied by sults of this alternaccurate and additional accurate and additional (ACM).	e inputs, Approval standard nd oval Manua ly specified that an eas nich are sub a building ative equate set o	al as sily jec
algorithm challenge	ing the reliability and ac ns and assumptions are ed for its validity and ac an adequate response c	open to inspection curacy as specified	by any individual by the ACM Appr	or State entit roval Manual,	y, that this ACM	may be	
Approval	ification is based upon I Manual for the 2005 E ge and experience with	nergy Efficiency Sta	ndards for Reside	ential Building			M)
Signed	Date	Title					

RA.1 Space Conditioning Tests (SC)

Complete the unshaded areas of the following forms. An electronic version of this document is available from the CEC.

Test SC00 - Basecase Simulations

Enter the TDV energy for the standard design and the proposed design – values should match.

	TDV Energ		
Test Label	Standard Design	Proposed Design	ACM Filename
SC00A01			
SC00A02			
SC00A03			
SC00A04			
SC00A05			
SC00A06			
SC00A07			
SC00A08			
SC00A09			
SC00A10			
SC00A11			
SC00A12			
SC00A13			
SC00A14			
SC00A15			
SC00A16			
SC00B01			
SC00B02			
SC00B03			
SC00B04			
SC00B05			
SC00B06			
SC00B07			
SC00B08			
SC00B09			
SC00B10			
SC00B11			
SC00B12			
SC00B13			
SC00B14			
SC00B15			
SC00B16			

Test SC01 - SEER vs. AFUE

	Space Conditioning TDV Energy (kBtu/ft²/y)		AFUE Solution		ACM Filenames	
Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case
SC01A03						
SC01A09						
SC01A12						
SC01A14						
SC01A16						

Test SC02 – Ceiling U-factor vs. South Glass Area

	Space Conditioning TDV Energy (kBtu/ft²/y)		South Glass Solution (ft²)		ACM Filenames	
Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case
SC02A03						
SC02A09						
SC02A12						
SC02A14						
SC02A16						

Test SC03 – Wall U-factor vs. West Glass Area

	Space Conditioning TDV Energy (kBtu/ft²/y)		West Glass Solution (ft²)		ACM Filenames	
Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case
SC03A03						
SC03A09						
SC03A12						
SC03A14						
SC03A16						

Test SC04 - Slab F-factor vs. North Glass Area

	Space Conditioning TDV Energy (kBtu/ft²/y)		North Glass Solution (ft²)		ACM Filenames	
Label	Passing Case Failing Case		Passing Case	Failing Case	Passing Case	Failing Case
SC04A12						
SC04A14						
SC04A16						

Test SC05 – Fenestration Type vs. North Glass Area

	Space Conditioning TDV Energy (kBtu/ft²/y)		North Glass Solution (ft²)		ACM Filenames	
Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case
SC05A03						
SC05A09						
SC05A12						
SC05A14						
SC05A16						

Test SC06 - Fenestration Type vs. AFUE

	Space Conditioning TDV Energy (kBtu/ft²/y)		AFUE Solution		ACM Filenames	
Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case
SC06A03						
SC06A09						
SC06A12						
SC06A14						
SC06A16						

Test SC07 – Exposed Thermal Mass vs. South Glass Area

		Space Conditioning TDV Energy (kBtu/ft²/y)		South Glass Solution (ft²)		ACM Filenames	
I	Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case
SC	C07A12						
SC	C07A14						
SC	C07A16						

Test SC08 – Exposed Thermal Mass vs. West Glass Area

	Space Conditioning TDV Energy (kBtu/ft²/y)		West Glass Solution (ft²)		ACM Filenames	
Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case
SC08A03						
SC08A09						
SC08A12						
SC08A14						
SC08A16						

Test SC09 – Exposed Thermal Mass vs. North Glass Area

	Space Conditioning TDV Energy (kBtu/ft²/y)		North Glass Solution (ft²)		ACM Filenames	
Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case
SC09A03						
SC09A09						
SC09A12						
SC09A14						
SC09A16						

Test SC10 – Exposed Thermal Mass vs. East Glass Area

	Space Conditioning TDV Energy (kBtu/ft²/y)		East Glass Solution (ft²)		ACM Filenames	
Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case
SC10A03						
SC10A09						
SC10A12						
SC10A14						
SC10A16						

Test SC11 - South Overhangs vs. South Glass Area

	Space Conditioning TDV Energy (kBtu/ft²/y)		South Glass Solution (ft²)		ACM Filenames				
Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case			
SC11A03									
SC11A09									
SC11A12									
SC11A14									
SC11A16									

Test SC12 - Building Envelope Sealing vs. Glass Area

	Space Conditioning TDV Energy (kBtu/ft²/y)		Glass Solution (ft²)		ACM Filenames	
Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case
SC12A03						
SC12A09						
SC12A12						
SC12A14						
SC12A16						

Test SC13 – Building Envelope Sealing and Mechanical Ventilation vs. Glass Area

	Space Conditioning TDV Energy (kBtu/ft²/y)		Glass Solution (ft²)		ACM Filenames	
Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case
SC13A03						
SC13A09						
SC13A12						
SC13A14						
SC13A16						

Test SC14 - Construction Quality vs. AFUE

	Space Conditioning TDV Energy (kBtu/ft²/y)		AFUE Solution		ACM Filenames	
Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case
SC14A03						
SC14A09						
SC14A12						
SC14A14						
SC14A16						

Test SC15 - Cool Roofs/Radiant Barrier vs. SEER

	Space Conditioning TDV Energy (kBtu/ft²/y)		SEER Solution		ACM Filenames	
Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case
SC15A09						
SC15A12						
SC15A14						

Test SC16 – Natural Ventilation vs. SEER

	Space Conditioning TDV Energy (kBtu/ft²/y)		SEER Solution		ACM Filenames	
Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case
SC16A09						
SC16A12						
SC16A14						

Test SC17 – Duct Leakage vs. SEER

	Space Conditioning TDV Energy (kBtu/ft²/y)		SEER Solution		ACM Filenames	
Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case
SC17A03						
SC17A09						
SC17A12						
SC17A14						
SC17A16						

Test SC18 – Duct Surface Area vs. SEER

	401 041 1400 711 04 101 0221						
	Space Conditioning TDV Energy (kBtu/ft²/y)		SEER Solution		ACM Filenames		
Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case	
SC18A03							
SC18A09							
SC18A12							
SC18A14							
SC18A16							

Test SC19 – Duct Location vs. SEER

	Space Conditioning TDV Energy (kBtu/ft²/y)		SEER Solution		ACM Filenames	
Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case
SC19B09						
SC19B12						
SC19B14						

Test SC20 - Duct Insulation vs. SEER

	Space Conditioning TDV Energy (kBtu/ft²/y)		SEER Solution		ACM Filenames	
Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case
SC20A09						
SC20A12						
SC20A14						

Test SC21 – Energy Efficiency Ratio vs. SHGC

	Space Conditioning TDV Energy (kBtu/ft²/y)		SHGC Solution		ACM Filenames	
Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case
SC21A09						
SC21A12						
SC21A14						

Test SC22 - TXV/Charge Testing vs. SHGC

	Space Conditioning TDV Energy (kBtu/ft²/y)		SHGC Solution		ACM Filenames	
Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case
SC22A09						
SC22A12						
SC22A14						

Test SC23 - Airflow Across Evaporator Coil vs. SHGC

	Space Conditioning TDV Energy (kBtu/ft²/y)		SHGC Solution		ACM Filenames	
Label	Passing Case	Failing Case	e Passing Case Failing Case		Passing Case	Failing Case
SC23A09						
SC23A12						
SC23A14						

Test SC24 - Air Conditioner Fan Power vs. SHGC

	Space Conditioning TDV Energy (kBtu/ft²/y)		,		ACM Fil	enames
Label	Passing Case	Failing Case	Passing Case Failing Case		Passing Case	Failing Case
SC24A09						
SC24A12						
SC24A14						

Test SC25 – Electric Heat vs. Fenestration U-Factor

	Space Conditioning TDV Energy (kBtu/ft²/y)		Fenestration U-Factor Solution		ACM Filenames	
Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case
SC25A03						
SC25A09						
SC25A12						
SC25A14						
SC25A16						

Test SC26 - Side Fins

	Space Conditioning TDV Energy (kBtu/ft²/y)		5 ,		ACM Filenames	
Label	Passing Case	Failing Case	Case Passing Case F		Passing Case	Failing Case
SC26A09						
SC26A12						
SC26A14						

RA.2 Standard Design Tests (SD)

Test SD01 - Single-Family Slab-on-Grade

	Space Co	nditioning TDV Energy	(kBtu/ft²/y)	ACM Fil	enames
Label	Proposed Design Custom Budget	Standard Design Equivalent Custom Budget	Standard Design Equivalent Proposed Design	Proposed Design	Standard Design Equivalent
SD01C01					
SD01C02					
SD01C03					
SD01C04					
SD01C05					
SD01C06					
SD01C07					
SD01C08					
SD01C09					
SD01C10					
SD01C11					
SD01C12					
SD01C13					
SD01C14					
SD01C15			-		
SD01C16					

Test SD02 – Single-Family Raised Floor

	Space Co	nditioning TDV Energy	(kBtu/ft²/y)	ACM Fil	enames
Label	Proposed Design Custom Budget	Standard Design Equivalent Custom Budget	Standard Design Equivalent Proposed Design	Proposed Design	Standard Design Equivalent
SD02D01					
SD02D02					
SD02D03					
SD02D04					
SD02D05					
SD02D06					
SD02D07					
SD02D08					
SD02D09					
SD02D10					
SD02D11					
SD02D12					
SD02D13					
SD02D14					
SD02D15					
SD02D16					

Test SD03 – Multi-Family Slab on Grade

	Space Co	nditioning TDV Energy	(kBtu/ft²/y)	ACM Fil	enames
Label	Proposed Design Custom Budget	Standard Design Equivalent Custom Budget	Standard Design Equivalent Proposed Design	Proposed Design	Standard Design Equivalent
SD03E01					
SD03E02					
SD03E03					
SD03E04					
SD03E05					
SD03E06					
SD03E07					
SD03E08					
SD03E09					
SD03E10					
SD03E11					
SD03E12					
SD03E13					
SD03E14					
SD03E15					
SD03E16					

Test SD04 - Neutral Variable Test: Window Area

	Space Co	nditioning TDV Energy	ACM Filenames		
Label	Proposed Design Custom Budget	Standard Design Equivalent Custom Budget	Standard Design Equivalent Proposed Design	Proposed Design	Standard Design Equivalent
SD04A03					
SD04A09					
SD04A12					
SD04A14					
SD04A16					

Test SD05 - Neutral Variable Test: Wall Area

	Space Co	nditioning TDV Energy	ACM Fil	enames	
Label	Proposed Design Custom Budget	Standard Design Equivalent Custom Budget	Standard Design Equivalent Proposed Design	Proposed Design	Standard Design Equivalent
SD05A03					
SD05A09					
SD05A12					
SD05A14					
SD05A16					

RA.3 Additions and Alterations Tests

Test AA01 – Baseline Simulations

	TDV Energy		
Label	Standard Design	Proposed Design	ACM Filenames
AA01E03			
AA01E09			
AA01E12			
AA01E14			
AA01E16			

Test AA02 - Increase Glass

	Space Conditioning TDV Energy (kBtu/ft²/y)		= = = = = = = = = = = = = = = = = = = =		ACM Filenames	
Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case
AA02E03						
AA02E09						
AA02E12						
AA02E14						
AA02E16						

Test AA03 - New HVAC

	Space Conditioning TDV Energy (kBtu/ft²/y)		Fenestration U-Factor		ACM Filenames	
Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case
AA02E03						
AA02E09						
AA02E12						
AA02E14						

		1		
A A OOF 4 C				
AA02E16				

Test EA01 – Baseline

	TDV Energy		
Label	Standard Design	Proposed Design	ACM Filenames
EA01E03			
EA01E09			
EA01E12			
EA01E14			
EA01E16			

Test EA02 – Increase Glass

	Space Conditioning TDV Energy (kBtu/ft²/y)		Fenestration U-Factor		ACM Filenames	
Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case
EA02E03						
EA02E09						
EA02E12						
EA02E14						
EA02E16						

Test EA03 - New HVAC

	Space Conditioning TDV Energy (kBtu/ft²/y)		Fenestration U-Factor		ACM Filenames	
Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case
EA02E03						
EA02E09						
EA02E12						
EA02E14						
EA02E16						

RA.4 Water Heating Tests

Complete the unshaded areas of the following forms. An electronic version of this document is available from the CEC.

Test WH00 - Basecase Simulations

Enter the TDV water heating energy for the standard design and the proposed design – values should match.

	TDV Water Heating	g Energy (kBtu/ft²/y)	
Test Label	Standard Design	Proposed Design	ACM Filename
WH00C01			
WH00C02			
WH00C03			
WH00C04			
WH00C05			
WH00C06			
WH00C07			
WH00C08			
WH00C09			
WH00C10			
WH00C11			
WH00C12			
WH00C13			
WH00C14			
WH00C15			
WH00C16			
WH00E01			
WH00E02			
WH00E03			
WH00E04			
WH00E05			
WH00E06			
WH00E07			
WH00E08			
WH00E09			
WH00E10			
WH00E11			
WH00E12			
WH00E13			
WH00E14			
WH00E15			
WH00E16			

Test WH01 - Gas Storage vs. Electric Storage Water Heater

1031 111101	ous otorage	bus brotage vs. Electric brotage water fleater						
		Water Heating TDV Energy (kBtu/ft²/y)		SSF Solution		enames		
Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case		
WH01C03								
WH01C09								
WH01C12								
WH01C14								
WH01C16								
WH01E03								
WH01E09								
WH01E12								
WH01E14								
WH01E16								

Test WH02 - Gas Storage vs. Electric Instantaneous Water Heater

	Water Heating TDV Energy (kBtu/ft²/y)		SSF Solution		ACM Filenames	
Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case
WH02C03						
WH02C09						
WH02C12						
WH02C14						
WH02C16						
WH02E03						
WH02E09						
WH02E12						
WH02E14						
WH02E16						

Test WH03 - Pipe Insulation on All Lines

1001 111100	. ipo iniounatio	po modificion on An Emoc					
	Water Heating TDV Energy (kBtu/ft²/y)		EF Solution		ACM Filenames		
Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case	
WH03C03							
WH03C09							
WH03C12							
WH03C14							
WH03C16							

Test WH04 – Recirculation Control

	Water Heating TDV Energy (kBtu/ft²/y)		EF Solution		ACM Filenames	
Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case
WH04E03						
WH04E09						
WH04E12						
WH04E14						
WH04E16						

Test WH05 -Large Gas Storage Water Heater

	Water Heating TDV Energy (kBtu/ft²/y)		AFUE Solution		ACM Filenames	
Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case
WH05E03						
WH05E09						
WH05E12						
WH05E14						
WH05E16						

Test WH06 – Recirculation Piping Insulation

		con canadian i iping maanatian				
	Water Heating TDV Energy (kBtu/ft²/y)		EF Solution		ACM Filenames	
Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case
WH06E03						
WH06E09						
WH06E12						
WH06E14						
WH06E16						

Test WH07 – Number of Water Heaters

	Water Heating TDV Energy (kBtu/ft²/y)		EF Solution		ACM Filenames	
Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case
WH07C03						
WH07C09						
WH07C12						
WH07C14						
WH07C16						

Test WH08 – Pump Controls

	Water Heating TDV Energy (kBtu/ft²/y)		EF Solution		ACM Filenames	
Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case
WH08E03						
WH08E09						
WH08E12						
WH08E14						
WH08E16						

RA.5 Water Heating Neutral Variable Tests (WD)

Test WD01 - Increase House Size to 2500ft²

	Water H	leating TDV Energy (kl	ACM Filenames		
Label			Standard Design Equivalent Proposed Design	Proposed Design	Standard Design Equivalent
WD01C03					
WD01C09					
WD01C12					
WD01C14					
WD01C16					

Test WD02 - Increase House Size to 3500ft²

	Water H	leating TDV Energy (kl	ACM Filenames		
Label	Proposed Design Custom Budget	Standard Design Equivalent Custom Budget	Standard Design Equivalent Proposed Design	Proposed Design	Standard Design Equivalent
WD02C03					
WD02C09					
WD02C12					
WD02C14					
WD02C16					

Test WD03 - Increase Recirculation Piping Length

- cot 11200 moreuse iteemediation i ipmg zong								
	Water H	leating TDV Energy (kl	ACM Filenames					
Label	Proposed Design Custom Budget	Standard Design Equivalent Custom Budget	Standard Design Equivalent Proposed Design	Proposed Design	Standard Design Equivalent			
WD03D03								
WD03D09								
WD03D12								
WD03D14								
WD03D16								

Test WD04 - Change Recirculation Pipe Location

	Water H	leating TDV Energy (kl	ACM Filenames		
Label	Proposed Design Custom Budget	Standard Design Equivalent Custom Budget	Standard Design Equivalent Proposed Design	Proposed Design	Standard Design Equivalent
WD04D03					
WD04D09					
WD04D12					
WD04D14					
WD04D16					

Test WD05 - Change to Individual Water Heaters

	Water F	leating TDV Energy (kl	ACM Filenames		
Label	Proposed Design Custom Budget	Standard Design Equivalent Custom Budget	Standard Design Equivalent Proposed Design	Proposed Design	Standard Design Equivalent
WD05D03					
WD05D09					
WD05D12					
WD05D14					
WD05D16					

RA.6 Optional Capabilities Tests (OC)

Test OC01 – Dedicated Hydronic Heating

		ning TDV Energy n/ft²/y)	Fenestration U-Factor Solution		ACM Filenames	
Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case
OC01A03						
OC01A09						
OC01A12						
OC01A14						
OC01A16						

Test OC02 – Combined Hydronic, Gas Water Heater.

		Space Conditioning TDV Energy (kBtu/ft²/y)		Fenestration U-Factor Solution		ACM Filenames	
Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case	
OC02A03							
OC02A09							
OC02A12							
OC02A14							
OC02A16							

Test OC03 - Combined Hydronic, Electric Resistance Water Heater.

	Space Conditioning TDV Energy (kBtu/ft²/y)		Fenestration U-Factor Solution		ACM Filenames	
Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case
OC03A03						
OC03A09						
OC03A12						
OC03A14						
OC03A16						

Test OC04 – Combined Hydronic, Heat Pump Water Heater.

	Space Conditioning TDV Energy (kBtu/ft²/y)		= =:		ACM Filenames	
Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case
OC04A03						
OC04A09						
OC04A12						
OC04A14						
OC04A16						

Test OC05 – Control Vent Crawlspace

	Space Conditioning TDV Energy (kBtu/ft²/y)		AFUE Solution		ACM Filenames	
Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case
OC05B03						
OC05B 09						
OC05B 12						
OC05B 14						
OC05B 16						

Test OC06 - Zonal Control

	Space Conditioning TDV Energy (kBtu/ft²/y)		AFUE Solution		ACM Filenames	
Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case
OC06A03						
OC06A09						
OC06A12						
OC06A14						
OC06A16						

Test OC07 – Attached Sunspace

		ning TDV Energy /ft²/y)	AFUE S	Solution	ACM Fil	enames
Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case
OC07A03						
OC07A09						
OC07A12						
OC07A14						
OC07A16						

Test OC08 - Exterior Mass Walls

		ning TDV Energy /ft²/y)	Wall R-Val	ue Solution	ACM Fil	enames
Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case
OC08A03						
OC08A09						
OC08A12						
OC08A14						
OC08A16						

Test OC9 – Gas Absorption Cooling

		ning TDV Energy /ft²/y)	Fenestration U-	Factor Solution	ACM Fil	enames
Label	Passing Case	Failing Case	Passing Case	Failing Case	Passing Case	Failing Case
OC9A03						
OC9A09						
OC9A12						
OC9A14						
OC9A16						

RA.7 Solar Systems Tests (SS)

Test SS01 - Solar System with Electric Backup

Enter the TDV space conditioning energy for the standard design and the proposed design – values should match.

·	TDV Water Heating	- G	
Test Label	Standard Design	Proposed Design	ACM Filename
SS01A03			
SS01A09			
SS01A12			
SS01A14			
SS01A16			

Test SS02 - Solar System with Gas Backup

Enter the TDV space conditioning energy for the standard design and the proposed design – values should match.

·	TDV Water Heating	3	
Test Label	Standard Design	Proposed Design	ACM Filename
SS02A03			
SS02A09			
SS02A12			
SS02A14			
SS02A16			

Test SS03 – Basecase Simulations

Enter the TDV water heating energy for the standard design and the proposed design – values should match.

January States	TDV Water Heating	values should materi.	
Test Label	Standard Design	Proposed Design	ACM Filename
SS03F01			
SS03F02			
SS03F03			
SS03F04			
SS03F05			
SS03F06			
SS03F07			
SS03F08			
SS03F09			
SS03F10			
SS03F11			
SS03F12			
SS03F13			
SS03F14			
SS03F15			
SS03F16			

Test SS04– Collector Orientation

	TDV Water Heating		
Test Label	Standard Design	Proposed Design	ACM Filename
SS04F03			
SS04F09			
SS04F12			
SS04F14			
SS04F16			

Test SS05- Collector Slope

	TDV Water Heating		
Test Label	Standard Design	Proposed Design	ACM Filename
SS05F03			
SS05F09			
SS05F12			
SS05F14			
SS05F16			

Test SS06- Collector Performance

	TDV Water Heatin				
Test Label	Standard Design	Proposed Design	ACM Filename		
SS06F03					
SS06F09					
SS06F12					
SS06F14					
SS06F16					

Test SS07- Collector Area

	TDV Water Heating		
Test Label	Standard Design	Proposed Design	ACM Filename
SS07F03			
SS07F09			
SS07F12			
SS07F14			
SS07F16			

Test SS08- Storage Tank Size

	TDV Water Heating		
Test Label	Standard Design	Proposed Design	ACM Filename
SS08F03			
SS08F09			
SS08F12			
SS08F14			
SS08F16			

Test SS10- Circulation Pump

	TDV Water Heating		
Test Label	Standard Design	Proposed Design	ACM Filename
SS10F03			
SS10F09			
SS10F12			
SS10F14			
SS10F16			

Test SS11- Freeze Control

	TDV Water Heating Energy (kBtu/ft²/y)		
Test Label	Standard Design	Proposed Design	ACM Filename
SS11F03			
SS11F09			
SS11F12			
SS11F14			
SS11F16			

(blank)